

# ***Pit Racks***


***For Heavy-Duty Trucks and Buses***



# Full-depth pits for maximum efficiency

## Model PT Heavy-Duty Alignment T-Pit System

- ✓ Full-length rail system supports use of optional jacks for both front and rear axle lifting
- ✓ 18,000-lb. (8,165-kg) maximum front axle weight capacity
- ✓ 58 in. (1,473 mm) pit depth allows a technician to work upright
- ✓ Adjustable runways handle a wide range of track widths
- ✓ Removable heavy-duty runways give maximum workspace




Model PT shown with optional Rolling Jack Support

### Available options:

**Extra 10 ft. (3,048 mm) Rail Kit (20-1517-1)**  
Multiples of 10 ft. (3,048 mm) can be added

## Model PF Heavy-Duty Alignment System with beam

- ✓ 18,000-lb. (8,165-kg) maximum front axle weight capacity
- ✓ 58 in. (1,473 mm) pit depth allows a technician to work upright
- ✓ 100 tn (90.7 t) work beam capacity
- ✓ Adjustable runways handle a wide range of track widths
- ✓ Removable heavy-duty runways give maximum workspace



Model PF with optional T-Extension

### Available options:

**T-Extension Kit (20-869-1)**  
**Extra Rail Kit (20-1517-1)**


# Shallow pit alternative

## Model PE Medium-Duty Alignment System with beam

- ✓ 10,000-lb. (4,536-kg) maximum front axle weight capacity
- ✓ 36 in. (914 mm) pit depth
- ✓ 50 tn (45 t) work beam capacity
- ✓ Adjustable runways handle a wide range of track widths



## Popular equipment options




Simple controls and large lifting capacity.

### HD Pit Jack (133-77-2)

- ✓ 32,500 lbs. (14,742 kg) total capacity or 17,500 lbs. (7,938 kg) per cylinder
- ✓ Air powered and hydraulically driven
- ✓ Cylinders can be individually adjusted side to side
- ✓ Suitable for PT pit and PF pit with optional T-extension

### Rolling Jack Support (11-637-1)



- ✓ Designed for various styles of jacks, including bottle jacks
- ✓ Provides lifting capability on any axle at any point on the rails

### Turnplates:



**Stainless Steel Electronic Truck Turnplates** (shown)  
(25-158-1)

**Electronic Truck Turnplates**  
(25-139-1)




**Heavy-Duty Truck Turnplates for Audit Purposes** (shown)  
(25-71-1)

**Standard Heavy-Duty Truck Turnplates**  
(25-24-1)


# Specifications and site requirements

## Model PT




For Model PT blueprint, order 4731-T

## Model PF with T-extension



For Model PF blueprint with T-extension, order 3507-T

## Models PE and PF without T-extension



For Model PF blueprint without T-extension, order 752-T  
For Model PE blueprint, order 744-T

Because of continuing technological advancements, specifications, models and options are subject to change without notice.



For additional information on Hunter WinAlign Alignment Systems, see Form 995-T. For additional information on Hunter Heavy-Duty Power Racks, see Form 4986-T.



1114LAP3M.36

**HUNTER**  
Engineering Company

[www.hunter.com](http://www.hunter.com)

11250 Hunter Drive, Bridgeton, MO 63044 U.S.A.  
Tel: 1-314-731-3020 • Fax: 1-314-731-0132  
E-mail: [international@hunter.com](mailto:international@hunter.com)